

 **JIABAO E-BIKE**



[mens electric city bicycle](#)

Electric system: Motor

High speed brushless, 250W-500W, from 8FUN. -

250W for Europe. -250W-

500W for USA & Canada. -200W for Australia.

Battery 36V / 10 Ah to 16Ah Li-ion or Li-

Polymer. -36V / 10 Ah LiFePO4. - with

electric protection circuit. PAS 1:1 pedal

assistant system. Speed sensor. - Throttle

available. Controller 3 speed available LOW -

MED - HIGH. Display High quality display, match

with controller. management of the 3-speed,

Pas system and LED lights. Lights L ED light for

front and rear. Charger AC

100V, 240V, smart charger. Main components: Frame

6061# Aluminum alloy, light weight. Front fork

Aluminum alloy suspension, ZOOM brand Handle

bar: Aluminum alloy, ZOOM brand Handle stem:

Aluminum alloy, ZOOM brand Saddle Foldable or

suspension, comfortable. Brake Front Disc or V,

Rear V Brake lever Aluminum alloy, cut-off when

braking. Tires KENDA brand, 26"x1.75 Rim Double

wall aluminum alloy. Chain Rust resistant chain.

Derailleur SHIMANO TOURNEY, 6/7 speed

gears. SHIMANO NEXUS inner 3 available.

Options: Basket, Helmet. Speedmeter etc.

Mudguard / Rear rack / Chain wheel / Crank /

Pedal etc. All in aluminum alloy. Performance

and Package: Max speed: 25-32km/h Mileage: 50-

60kms per charge. Max load: 100kgs Weight: NW.

25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers

cartoon. Capacity: 98pcs/20ft container;

216pcs/40hq container.

JIABAO E-BIKE



[ladies electric city bikeTDF03Z](#)

Electric system: Motor

High speed brushless, 250W-500W, from 8FUN. -
250W for Europe. -250W-

500W for USA & Canada. -200W for Australia.

Battery 36V / 10 Ah to 16Ah Li-ion or Li-
Polymer. -36V / 10 Ah LiFePO4. - with

electric protection circuit. PAS 1:1 pedal
assistant system. Speed sensor. - Throttle

available. Controller 3 speed available LOW -
MED - HIGH. Display High quality display, match

with controller. management of the 3-speed,
Pas system and LED lights. Lights L ED light for

front and rear. Charger AC

100V, 240V, smart charger. Main components: Frame

6061# Aluminum alloy, light weight. Front fork

Aluminum alloy suspension, ZOOM brand Handle

bar: Aluminum alloy, ZOOM brand Handle stem:

Aluminum alloy, ZOOM brand Saddle Foldable or

suspension, comfortable. Brake Front Disc or V,

Rear V Brake lever Aluminum alloy, cut-off when

braking. Tires KENDA brand, 26"x1.75 Rim Double

wall aluminum alloy. Chain Rust resistant chain.

Derailleur SHIMANO TOURNEY, 6/7 speed

gears. SHIMANO NEXUS inner 3 available.

Options: Basket, Helmet. Speedmeter etc.

Mudguard / Rear rack / Chain wheel / Crank /

Pedal etc. All in aluminum alloy. Performance

and Package: Max speed: 25-32km/h Mileage: 50-

60kms per charge. Max load: 100kgs Weight: NW.

25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers

cartoon. Capacity: 98pcs/20ft container;

216pcs/40hq container.

 **JIABAO E-BIKE**



[ladies electric city bikeTDF01Z](#)

Electric system: Motor

High speed brushless, 250W-500W, from 8FUN. -
250W for Europe. -250W-

500W for USA & Canada. -200W for Australia.

Battery 36V / 10 Ah to 16Ah Li-ion or Li-
Polymer. -36V / 10 Ah LiFePO4. - with

electric protection circuit. PAS 1:1 pedal
assistant system . Speed sensor. - Throttle

available. Controller 3 speed available LOW -
MED - HIGH. Display High quality display, match

with controller. management of the 3-speed,
Pas system and LED lights. Lights L ED light for

front and rear. Charger AC

100V, 240V, smart charger. Main components: Frame

6061# Aluminum alloy, light weight. Front fork

Aluminum alloy suspension, ZOOM brand Handle

bar: Aluminum alloy, ZOOM brand Handle stem:

Aluminum alloy, ZOOM brand Saddle Foldable or

suspension, comfortable. Brake Front Disc or V,

Rear V Brake lever Aluminum alloy, cut-off when

braking. Tires KENDA brand, 26"x1.75 Rim Double

wall aluminum alloy. Chain Rust resistant chain.

Derailleur SHIMANO TOURNEY, 6/7 speed

gears. SHIMANO NEXUS inner 3 available.

Options: Basket, Helmet. Speedmeter etc.

Mudguard / Rear rack / Chain wheel / Crank /

Pedal etc. All in aluminum alloy. Performance

and Package: Max speed: 25-32km/h Mileage: 50-

60kms per charge. Max load: 100kgs Weight: NW.

25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers

cartoon. Capacity: 98pcs/20ft container;

216pcs/40hq container.

 **JIABAO E-BIKE**



Aluminum alloy frame PAS electric mountain bicycle

Product Model: JB-TDE02Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights LED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26" x 1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers carton. Capacity: 98pcs/20ft container; 216pcs/40hq container.

JIABAO E-BIKE



light weight mountain e-bike

Product Model: JB-TDE03Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



[step-through PAS electric city bike](#)

Product Model: JB-TDF01Z-2 Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W- 500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



PAS electric sport bicycle

Product Model: JB-TDE01Z Electric system: Motor High speed brushless, 250W-500W, from 8FUN. - 250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system. Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame 6061# Aluminum alloy, light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



[26 inches PAS mountain electric bike](#)

Product Model:JB-TDE01Z-2 Electric system: Motor High speed brushless, 250W Battery 36V / 12 Ah Lead-Acid battery. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Lights front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame Stainless steel. Saddle Foldable, comfortable. Brake Front V, Rear drum. Brake lever Aluminum alloy, cut-off when braking. Tires 24"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO, 6 speed gears. Options: Basket, tail box, Helmet. Speedmeter etc. Performance and Package: Max speed: 25-32km/h Mileage: 40kms per charge. Max load: 100kgs Weight: NW. 38kgs; GW. 45kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



[26 ladies electric city bike](#)

Product Model:JB-TDH01Z Electric system: Motor High speed brushless, 250W Battery 36V / 12 Ah Lead-Acid battery. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Lights front and rear. Charger AC 100V, 240V, smart charger. Main components: Frame Stainless steel. Saddle Foldable, comfortable. Brake Front V, Rear drum. Brake lever Aluminum alloy, cut-off when braking. Tires 24"x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO, 6 speed gears. Options: Basket, tail box, Helmet. Speedmeter etc. Performance and Package: Max speed: 25-32km/h Mileage: 40kms per charge. Max load: 100kgs Weight: NW. 38kgs; GW. 45kgs Package: 147*26*74cm, 7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

JIABAO E-Vehicle Co., Ltd.

Add: No. 399, Shicheng Street, Jinhua city, Zhejiang Province, China.

Contact: Jasmine Jia

Tel: 579-83236569

Fax: 579-89185890

E-mail: sales@jb-electricbikes.com

WebSite: <http://www.jb-electricbikes.com>
