

 **JIABAO E-BIKE**



[LiFePO4 powered mens bike](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26_i x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



[LiFePO4 powered foding bike](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: ZOOM brand Handle stem: Foldable, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front V, Rear V or drum. Brake lever Aluminum alloy, cut-off when braking. Tires 20_i x2.125; 16X2.125 Rim aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7

speed gears. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: 20 inch NW.23kgs; GW.28kgs / 16 inch NW.21kgs; GW.26kgs Package: 147*26*68cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

[LiFePO4 ladies electric bike](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26 $\frac{1}{2}$ x1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

 **JIABAO E-BIKE**



 **JIABAO E-BIKE**



[LiFePO4 electric sport bike](#)

Electric system: Motor High speed brushless,250W-500W, from 8FUN. -250W for Europe. -250W-500W for USA & Canada. -200W for Australia. Battery 36V / 10 Ah to 16Ah Li-ion or Li-Polymer. -36V / 10 Ah LiFePO4. - with electric protection circuit. PAS 1:1 pedal assistant system . Speed sensor. - Throttle available. Controller 3 speed available LOW - MED - HIGH. Display High quality display, match with controller. management of the 3-speed, Pas system and LED lights. Lights L ED light for front and rear. Charger AC 100V,240V, smart charger. Main components: Frame 6061# Aluminum alloy,light weight. Front fork Aluminum alloy suspension, ZOOM brand Handle bar: Aluminum alloy, ZOOM brand Handle stem: Aluminum alloy, ZOOM brand Saddle Foldable or suspension, comfortable. Brake Front Disc or V, Rear V Brake lever Aluminum alloy, cut-off when braking. Tires KENDA brand, 26" x 1.75 Rim Double wall aluminum alloy. Chain Rust resistant chain. Derailleur SHIMANO TOURNEY, 6/7 speed gears. SHIMANO NEXUS inner 3 available. Options: Basket, Helmet. Speedmeter etc. Mudguard / Rear rack / Chain wheel / Crank / Pedal etc. All in aluminum alloy. Performance and Package: Max speed: 25-32km/h Mileage: 50-60kms per charge. Max load: 100kgs Weight: NW. 25kgs; GW. 30kgs Package: 147*26*74cm,7 layers cartoon. Capacity: 98pcs/20ft container; 216pcs/40hq container.

JIABAO E-Vehicle Co.,Ltd.

Add: No.399,Shicheng Street,Jinhua city,Zhejiang Province,China.

Contact: Jasmine Jia

Tel: +86-579-83236569

Fax: +86-579-89185890

E-mail:sales@jb-electricbikes.com

WebSite: <http://www.jb-electricbikes.com>